









## Overview fluidic accessories

| Item  | Description  | Item number |
|---|--|-------------|
| <b>Screw-in slip fittings</b>   |  |             |
|    | Screw-in slip fitting stainless steel, 1/4"-28 UNF male - slip fitting OD 5 mm | 52 02 03 07 |
| <b>Screw-in sockets</b>   |  |             |
|    | Screw-in socket stainless steel, 1/8" NPT male - pipe socket OD 6 mm           | 51 01 11 03 |
| <b>Screw-in fittings 1/8" NPT</b>   |  |             |
|   | Screw-in fitting alloy C22, 1/8" NPT male - tube fitting OD 1/8"               | 51 01 30 06 |
|   | Screw-in fitting alloy C22, 1/8" NPT male - tube fitting OD 6 mm               | 51 01 30 04 |
|   | Screw-in fitting stainless steel, 1/8" NPT male - tube fitting OD 1/4"         | 51 01 11 02 |
|   | Screw-in fitting stainless steel, 1/8" NPT male - tube fitting OD 1/8"         | 51 03 01 22 |
|   | Screw-in fitting stainless steel, 1/8" NPT male - tube fitting OD 6 mm         | 51 01 11 01 |
|   | Screw-in fitting stainless steel, 1/8" NPT male - tube fitting OD 8 mm         | 51 01 11 06 |
| <b>Screw-in fittings 3/8" NPT</b>   |  |             |
|  | Screw-in fitting alloy C22, 3/8" NPT male - tube fitting OD 6 mm               | 51 01 30 05 |
|   | Screw-in fitting stainless steel, 3/8" NPT male - tube fitting OD 6 mm         | 51 01 11 07 |
|   | Screw-in fitting stainless steel, 3/8" NPT male - tube fitting OD 8 mm         | 51 01 11 05 |
|   | Screw-in fitting stainless steel, 3/8" NPT male - tube fitting OD 10 mm        | 51 01 11 08 |
|   | Screw-in fitting stainless steel, 3/8" NPT male - tube fitting OD 12 mm        | 51 01 11 04 |
| <b>Screw-in fittings G 1/2"</b>   |  |             |
|  | Screw-in fitting stainless steel, G 1/2" male - tube fitting OD 8 mm           | 51 01 13 02 |
|   | Screw-in fitting stainless steel, G 1/2" male - tube fitting OD 10 mm          | 51 01 13 03 |
|   | Screw-in fitting stainless steel, G 1/2" male - tube fitting OD 12 mm          | 51 01 13 04 |







### Contact

## Overview fluidic accessories

| Item   | Description   | Item number |
|--|---|-------------|
| <b>Screw-in fittings 1/4"-28 UNF</b>   |   |             |
| <br>Image similar   | Screw-in fitting stainless steel, 1/4"-28 UNF male - OD 1/16", stainl./PEEK | 51 01 03 01 |
|  | Screw-in fitting stainless steel, 1/4"-28 UNF male - OD 1/8", stainl./ETFE  | 51 01 03 04 |
|  | Screw-in fitting stainless steel, 1/4"-28 UNF male - OD 1/8", stainl./PEEK  | 51 01 03 02 |
|  | Screw-in fitting PEEK, 1/4"-28 UNF male - OD 1/16", PEEK/PEEK               | 51 01 02 01 |
|  | Screw-in fitting PEEK, 1/4"-28 UNF male - OD 1/8", PEEK/PEEK                | 51 01 02 02 |
| <b>Filter series F-MI2</b>   |   |             |
| <br>Image similar   | Inlet filter stainless steel F-MI2, 1/8" NPT female, 10 µm                  | 54 02 01 25 |
|  | Inline filter stainless steel F-MI2, straight, 1/8" NPT, 10 µm, FPM         | 54 02 04 12 |
|  | Inline filter stainless steel F-MI2, straight, 1/8" NPT, 10 µm, EPDM-FDA    | 54 02 04 13 |
|  | Inline filter stainless steel F-MI2, straight, 1/8" NPT, 10 µm, Kalrez      | 54 02 04 14 |
|  | Inline filter alloy C22 F-MI2-T, T type, 1/8" NPT, 10 µm, Kalrez            | 54 02 04 05 |
|  | Inline filter stainless steel F-MI2-T, T type, 1/8" NPT, 10 µm, FPM         | 54 02 04 00 |
|  | Inline filter stainless steel F-MI2-T, T type, 1/8" NPT, 10 µm, EPDM-FDA    | 54 02 04 01 |
|  | Inline filter stainless steel F-MI2-T, T type, 1/8" NPT, 10 µm, Kalrez      | 54 02 04 02 |
| <b>Filter series F-MI3</b>   |   |             |
| <br>Image similar | Inlet filter stainless steel F-MI3, 3/8" NPT female, 10 µm                  | 54 02 01 22 |
|  | Inline filter stainless steel F-MI3, straight, 3/8" NPT, 10 µm, FPM         | 54 02 04 31 |
|  | Inline filter stainless steel F-MI3, straight, 3/8" NPT, 10 µm, EPDM-FDA    | 54 02 04 32 |
|  | Inline filter stainless steel F-MI3, straight, 3/8" NPT, 10 µm, Kalrez      | 54 02 04 33 |
|  | Inline filter stainless steel F-MI3, straight, 3/8" NPT, 10 µm, Kalrez-FDA  | 54 02 04 34 |
|  | Inline filter stainless steel F-MI3-T, T type, 3/8" NPT, 10 µm, FPM         | 54 02 04 07 |
|  | Inline filter stainless steel F-MI3-T, T type, 3/8" NPT, 10 µm, EPDM-FDA    | 54 02 04 08 |
|  | Inline filter stainless steel F-MI3-T, T type, 3/8" NPT, 10 µm, Kalrez      | 54 02 04 09 |

### Contact

## Overview fluidic accessories

| Item   | Description   | Item number |
|--|---|-------------|
| <b>Filter series F-MI4</b>   |   |             |
| <br>Image similar   | Inline filter stainless steel F-MI4-T, T type, G 1/2", 10 µm, EPDM-FDA  | 54 02 04 23 |
|  | Inline filter stainless steel F-MI4-T, T type, G 1/2", 10 µm, Kalrez    | 54 02 04 24 |
|  | Inline filter stainless steel F-MI4-T, T type, G 1/2", 10 µm, FPM       | 54 02 04 25 |
| <b>Adapters</b>  |   |             |
| <br>Image similar   | Adapter stainless steel, 1/4"-28 UNF male - Luer-Lock female            | 52 02 03 01 |
|  | Adapter stainless steel, 1/4"-28 UNF male - Luer-Lock male              | 52 02 03 00 |
|  | Adapter PEEK, 1/4"-28 UNF female - Luer-Lock female                     | 52 02 03 03 |
|  | Adapter PEEK, 1/4"-28 UNF female - Luer-Lock male                       | 52 02 03 02 |
| <b>Straight connectors</b>   |   |             |
| <br>Image similar | Straight connector PEEK, 2x 1/4"-28 UNF female, ID 0.5 mm               | 52 01 01 01 |
|  | Straight connector PEEK, 2x 1/4"-28 UNF female, ID 1.25 mm              | 52 01 01 02 |
| <b>Ferrule sets</b>  |   |             |
| <br>Image similar | Ferrule set PEEK/stainless steel for 1/4"-28 UNF-thread, OD 1/16"       | 51 02 01 01 |
|  | Ferrule set PEEK/stainless steel for 1/4"-28 UNF-thread, OD 1/8"        | 51 02 01 02 |
| <b>Reducing connections</b>  |   |             |
| <br>Image similar | Reducing connection stainless steel, 2x tube fitting: OD 1/8" - OD 6 mm | 52 01 03 01 |
| <b>Tube sections</b>   |   |             |
| <br>Image similar | Tube section stainless steel OD 1/8", length 60 mm                      | 55 04 02 02 |




**Contact**

HNP Mikrosysteme GmbH  
Bleicherufer 25 · D-19053 Schwerin

T +49 385 52190-300  
F +49 385 52190-333

info@hnp-mikrosysteme.de  
www.hnp-mikrosysteme.de

## Overview fluidic accessories

| Item   | Description   | Item number |
|--|---|-------------|
| <b>Check valves RSV-UP-210</b>   |   |             |
| <br>Image similar   | Outlet check valve RSV-UP-210, 1/4"-28 UNF male -> female, 0.21 bar | 41 03 01 01 |
|  | Inlet check valve RSV-UP-210, 1/4"-28 UNF female -> male, 0.21 bar  | 41 03 01 00 |
| <b>Check valves RSV-SW1-xxx</b>  |   |             |
| <br>Image similar   | Check valve RSV-SW1-340, 2x tube fitting OD 1/8", 0.34 bar          | 41 02 01 00 |
|  | Check valve RSV-SW1-340, 2x tube fitting OD 6 mm, 0.34 bar          | 41 04 01 12 |
|  | Check valve RSV-SW1-1380, 2x tube fitting OD 1/8", 1.38 bar         | 41 04 01 10 |
|  | Check valve RSV-SW1-1380, 2x tube fitting OD 6 mm, 1.38 bar         | 41 04 01 11 |
|  | Upgrade optional seals EPDM for RSV-SW1                             | 41 04 01 05 |
|  | Upgrade optional seals Kalrez for RSV-SW1                           | 41 04 01 04 |
| <b>T-connectors</b>  |   |             |
| <br>Image similar | T-connector PEEK, 3x 1/4"-28 UNF female, 0.5 mm                     | 53 01 01 00 |
|  | T-connector PEEK, 3x 1/4"-28 UNF female, 1.25 mm                    | 53 01 02 00 |

### Contact